## 4146 FIRST AID KIT- 4146 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### 4146 First Aid Kit (Burn Jel, BZK wipe, alcohol wipe, sting relief- SF00004042)

#### Burn Jel Active ingredient

Lidocaine HCl 2.0%

## Burn Jel *Purpose*

External analgesic

#### **Burn Jel**

#### Uses

• temporarily relieves pain due to minor burns

## Burn Jel

## Warnings

#### For external use only

#### Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

#### When using this product

• avoid contact with eyes

#### Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

#### Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

#### **Burn JEl**

#### Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

#### **Burn Jel**

#### Other information

• store at room temperature - do not use if opened or torn

#### **Burn Jel**

#### **Inactive ingredients**

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

## Burn Jel Questions

1-800-430-5490

#### **BZK Wipe**

#### Active ingredient

Benzalkonium chloride 0.13% w/v

#### **BZK Wipe**

#### **Purpose**

First aid antiseptic

#### **BzK Wipe**

Uses

Antiseptic cleansing of face, hands, and body without soap and water

#### **BZK Wipe**

**Warnings** 

#### For external use only

#### Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

#### Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **BZK Wipe**

#### Directions

tear open packet and use as a washcloth

#### **BZK Wipe**

#### Other information

- store at room temperature 15  $^{0}$  to 30  $^{0}$  C (59  $^{0}$  86  $^{0}$  F)
- do not reuse towelette

#### **BZK Wipe**

#### Inactive ingredient

water

#### **BZK Wipe**

Questions

1-800-430-5490

#### **Sting Relief**

Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

#### **Sting Relief**

**Purposse** 

Antiseptic

Topical pain relief

#### **Sting Relief**

Uses

• prevent infection in minor scrapes, and temporary relief of itching of insect bites

#### Sting Relief

Warnings

For external use only

#### Flammable, keep away from open fire or flame

#### Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

#### Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Sting Relief**

#### **Directions**

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

#### **Sting Relief**

#### **Inactive ingredients**

benzalkonium chloride, menthol, and purified water

#### **Sting Relief**

#### **Questions or Comments?**

1-800-430-5490

#### Alcohol

#### Active ingredient

Isopropyl alcohol 70%

#### Alcohol

#### **Purpose**

First aid antiseptic

#### Alcohol

#### Uses

• first aid to help prevent infection in minor cuts, scrapes, and burns

#### Alcohol

#### **Warnings**

#### For external use only

#### Flammable, keep away from fire and flame

#### Do not use

- in or near eyes
- over large areas of the body

#### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

#### When using this product

• do not use longer than 1 week unless directed by a doctor

#### Stop use and consult a doctor if

• condition persists or gets worse

#### Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

#### Alcohol

#### **Directions**

- clean the affected area
- may be covered with a sterile bandage
- apply wipe to affeted are 1 to 3 times daily
- discard wipe after single use

#### Alcohol

#### Other information

- store at room temperature 15  $^{0}$  to 25  $^{0}$  C (59  $^{0}$  to 77  $^{0}$  F)
- do not use if packet is torn or

## Alcohol

Questions

1-800-430-5490


#### 4146

#### SF00004042 kit contents


- 1 KNUCKLE BAND 8 PER
- 1 TRIANGULAR BDG, NON-STERILE
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADH TAPE, .5" X 2.5 YD, 2 PER
- 1 GAUZE COMPRESS, 1728 SQ IN 1
- 1 FORCEPS & SCISSORS, 1 EA
- 1 INSTANT COLD PACK 4" X 6"
- 1 ADHESIVE BDG,PLSTIC,1"X3"16PER
- 1 BURN JEL 1/8 OZ, 6 PER
- 1 NITRILE GLOVES 2PR BBP
- 1 ANTIMCRBL ANTSPTC TWLETTS
- 1 MICROSHIELD W/VNL GLV/ALCL
- 1 F. A. INST CHART SM (INDIVIDUAL LBL)
- 1 BANDAGE COMP 4" W/TELFA PAD 1
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"

1 KIT STL 16 UN (VERTICAL) 1 STING Relief SWAB 10

Burn Jel *Principal Display Panel* 




## Principal Display Panel




47001083 Rev B	- Antiseptic Towelettes	Honeywell
	Drug Facts	٦
	Active Ingredient Purpose Benzalkonium chloride 0.133% w/v First aid antiseptic	
	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds	I
	Warnings For external use only	7
	When using this product • do not use in the eyes or apply overlarge areas of the body	
	Ask a doctor before use  In case of deep or puncture wounds, animal bites, or serious burns  Stop use and consult a doctor if Irritation, redness or other symptoms develop  ocnolition persists or gets worse	1
	Do not use ● longer than I week unless directed by doctor	П
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	4
	Directions • tear open packet, unfold and use as washcloth  Other Information • store at room temperature 15° -30° C(59° -86° F) • do not reuse towelette	1
	Inactive ingredient water	٦
	Questions or comments 1-800-430-5490	1

Sting Relief Principal Display Panel



Alcohol Principal Display Panel



4146 Kit Label SF00004042





## CITY OF SEATTLE

# FIRST AID KIT

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

#### 4146 FIRST AID KIT

4146 first aid kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4146

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4146-01	1 in 1 KIT	09/13/2018	

#### **Quantity of Parts**

Quantity of Lates		
Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	2 PACKET	2.8 mL

Part 3	4 POUCH	1.6 mL
Part 4	10 POUCH	4 mL

#### Part 1 of 4

#### **BURN JEL**

gel for burns gel

#### **Product Information**

Item Code (Source) NDC:0498-0203

Route of Administration TOPICAL

## Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE UNII:98 PI200987) LIDO CAINE HYDRO CHLO RIDE ANHYDRO US 2 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging					
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
l	1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

#### Part 2 of 4

#### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### **Product Information**

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM -	BENZALKONIUM	1.3 mg
UNII:7N6JUD5X6Y)	CHLORIDE	in 1 mL

#### **Inactive Ingredients**

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

#### **Packaging**

	#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

#### **Marketing Information**

9			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

#### Part 3 of 4

#### **ALCOHOL WIPE**

isopropyl alcohol swab

#### **Product Information**

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

•		
Ingredient Name	Basis of Strength	Strength

ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -
UNII:ND2M416302)

ISOPROPYL ALCOHOL

0.7 mL in 1 mL

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

ıg
ız
0

#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
---	-----------	---------------------	-----------------------------	---------------------------

1 NDC:0498-0143-04 0.4 mL in 1 POUCH; Type 0: Not a Combination Product

#### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

#### Part 4 of 4

#### STING RELIEF PAD

ethyl alcohol, lidocaine swab

#### **Product Information**

Item Code	(Source	)	NDC:0498-0733

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

#### Inactive Ingredients

indenve ingredients		
Ingredient Name	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
MENTHOL (UNII: L7T10 EIP3A)		
WATER (UNII: 059QF0KO0R)		

	(ing

Ш	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date

#### 1 NDC:0498-0733-00 0.4 mL in 1 POUCH; Type 0: Not a Combination Product

#### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

#### **Marketing Information**

unapproved drug other 09/13/2018	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other	unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)

Registrant - Honeywell Safety Products USA, Inc. (079287321)

#### Establishment

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Honeywell Safety Products USA, Inc		079287321	pack(0498-4146)

#### Establishment

Lotubilisimient			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203)

#### **Establishment**

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501, 0498-0143)

#### Establishment

Establishment			
Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 5/2019 Honeywell Safety Products USA, Inc.